PTO/SB/05 (1/98)

Approved for use through 09/30/2000. OMB 0651-0032 Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

o c	UTILITY	Attorney Dock	cet No. 78	37446-2001.1						
PATE	NT APPLICATION	First Inventor	ntor or Application Identifier SCOTT E. PETERS, DARRYL H. WOODS							
r Ti	RANSMITTAL	Title A STA	A STABLE AQUEOUS DISPERSION OF NUTRIENTS							
new nonpro	ovisional applications under 37 CFR 1.53(b))	Express Mail	Label No.	EL250497861U	S					
See MPEP chap	APPLICATION ELEMENTS ter 600 concerning utility patent application	on contents.	ADDRE	SS TO:	Box Pate	Commissioner for Pent Application ton, DC 20231	٥ ا			
	Fransmittal Form (e.g., PTO/SB/17)		6.	Microfiche Co	omputer Progr	am (Appendix)	366			
2. ⊠ Specifi (prefer - Desci	it an original, and a duplicate for fee producation [Total Pages reed arrangement set forth below, MPEP riptive title of the Invention s References to Related Applications ment Regarding Fed sponsored R & D	12]		pplicable, all ne Comput Paper C	<i>cessary)</i> ter Readable (Copy (identical	quence Submission Copy to computer copy) dentity of above copies	10922 U.S 09/685			
- Refer	rence to Microfiche Appendix			ACCOMPA	ANYING APF	LICATION PARTS				
- Brief - Brief	- Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed)				apers (cover s	heet & documents(s))				
	iled Description, n(s) (13)		9.	37 C.F.R. § 3. (when there is		ent Power of Atto	orney			
	ract of the Disclosure (1 page)		10.			ent (if applicable)				
4. Dath or Dec			 Information Disclosure ☐ Copies of IDS Statement (IDS)/PTO-1449 Citations Preliminary Amendment Return Receipt Postcard (MPEP 503) (Should be specifically itemized) ↑ Small Entity ☐ Statement filed in prior application, Statements(s) (to Status still proper and desired follow) 							
follow h. Co	py from a prior application (37 C.F.R. § 1 or continuation/divisional with Box 17 con [Note Box 5 below] DELETION OF INVENTOR(S) Signed statement attached deleting	npleted)								
5. 🔲 Incorp	inventor(s) named in the prior applic see 37 C.F.R. §§ 1.63(d)(2) and 1.33 poration By Reference (useable if Box 4b in tire disclosure of the prior application, for	(b). is checked)	15. 🗆 16. 🗆	(PTO/SB/09-12) Certified Cop (if foreign pri Other:	y of Priority I					
Copy (Consid Applic	of the oath or declaration is supplied unde dered to be part of the disclosure of the ac cation and is hereby incorporated by refer	er Box 4b, is companying ence therein.	* A new :	statement is reque has been filed i	in a prior appl	tled to pay small entity fi ication and is being relie	d upon.			
	INUING APPLICATION, check appropropropropropropropropropropropropro			equisite informated of prior application		d in a preliminary amend	ment:			
	application information: Examiner		Group/Art Unit:							
· 16. CORRESPONDENCE ADDRESS										
Name	JEROME ROSENSTOCK FROMMER LAWRENCE & HAU	tomer No. or A	ttach bar co	de label here)	or New	correspondence address	below			
Address 745 Fifth Avenue										
	New York U.S.	State Telephone	(212) 58	Zip Code	Fax	10151				
		1/1				(212) 588-0500				
Name (Pri	nt/Type) JEKOME ROSENSTO	CK//	Registra	n No. (Attori	ney/Agent) Date	25,456 October 10, 200	0			

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231

FEE TRANSMITTAL

Patent fees are subject to annual revision on October 1
These are the fees effective October 1, 1997.
Small Entity payments <u>must</u> be supported by a small entity statement, otherwise large entity fees must be paid. See Forms PTO/SB/09-12.

TOTAL AMOUNT OF PAYMENT

(\$) 710.00

	Complete if Known								
Application Number	Not yet assigned								
Filing Date	Herewith								
First Named Inventor	Scott E. Peters, Darryl E. Woods								
Examiner Name	Not yet assigned								
Group/Art Unit	Not yet assigned								
Attorney Docket No.	787446-2001.1								

	N	ЛЕТНО	OD OF	PAY	YMENT						FEE	CALCU	LATION	
1. The Commissioner is hereby authorized to charge indicated fees and credit any over payments to					3. AD	DITION	IAL FE	ES						
Deposit	in	dicated fe	ed fees and credit any over payments to.			Large	Entity	Small	Entity					
Account Name		Fron	mmer La	wre	nce & Hau	g LLP		Fee Code	Fee (\$)	Fee Code	Fee (\$)		Fee Description	Fee Paid
Deposit							1	105	130	205		Surcharge	- late filing fee or oath	
Account Number			50-0320				127	50	227	25	_	- late provisional filing fee		
~	<u> </u>						J	139	130	139	130		ish specification	
Charge any Additional Fee Charge the Issue Fee Set in 37 CFR					147	2,520	147	2,520	•	a request of reexamination				
Required Under 37 CFR 1 16 and 1.18 at the Mailing of the Notice of Allowance				112	920*	112	920*	Requestin	g publication of SIR prior to					
2. 🛛	Paymen	t Enclose	d					113	1,840*	113	1,840*	Requestin	g publication of SIR after ner action	
Check Money Order Other				115	110	215	55	Extension						
FEE CALCULATION				116	380	216	190	Extension month						
				117	870	217	435	Extension						
1. BASIC FILING FEE				118	1,360	218	680		for reply within fourth					
Large	Entity	Small	Entity					128	1,850	228	925		for reply within fifth month	
Fee Code	Fee (\$)	Fee Code	Fee]	Fee Description	n Fee Paid		119	300	219	150	Notice of		
I01	710	201	(\$) 355	Uti	llity filing fee	710.00	רו	120	300	220	150		rief in support of an appeal	
1 06	320	206	160		sign filmg fee	7,10,10,1	7	121	260	221	130		or oral hearing	
107 108	490 710	207 208	245 355		nt filing fee issue filing fee		7	138	1,510	138	1,510	Petition to Procee	institute a public use	
414	150	214	75		ovisional filing	fee	_	140	110	240	55	Petition to	revive – unavoidable	
			SUB	TOT	AL (1)	710.00)]	141	1,210	241	605	Petition to	revive- unintentional	
0 1					L			142	1,210	242	605	Utility iss	ue fee (or reissue)	
	RA CI	LAIM I	FEES					143	430	243	215	Design 1s	sue fee	
#			Extra Claim		Fee from below	Fee Paid		144	580	244	290	Plant issu	e fee	
Total Claims	13	-20**=	0	X	18	= 0.00		122	130	122	130		to the Commissioner	
Ind. Claims	2	-3**=	0	X	80	= 39,00		123	50	123	50	Applica		
Multiple I	Dependen	t		X		=	_	126	240	126	240	Submissio Statem	on of Information Disclosure ent	
*	** or number previously paid, if greater; for reissues, see below					581	40	581	40	Recording propert	s)			
Large Fee	Entity Fee	Small Fee	Entity Fee					146	760	246	380		ubmission after final rejection R I 129(a))	n
Code	(\$)	Code	(\$)		Fee Description		149	760	249	380	For each			
103	18	203	9	C	laims in excess	of 20		l				CAMILL	ed (37 CFR 1 129(b))	
102	80	202	40			ms in excess of 3		ĺ						
104	270	204	135	pa	Multiple dependent claim, if not paid			Other fee	e (specify)					
109	80	209	40	O	** Reissue independent claims over original patent		Other fee	e (specify)						
110	18	210	9		keissue claims in ver original pate	n excess of 20 and	1	i						
107	490	207	245	P	lant filing fee		_,							
			SUB	тот	AL (2)	(\$)0.0(0	* Reduc	ed by Bası	c Filmo Fa	e.		SUBTOTAL (3)	(\$)
SUBMI	TTED R	Y Y		=				redate		- Amig I'd			Complete (if applica	ible)
Typed or	r		IEDO	ME E	ROSENSTO	~k /	,		14					
Printed 1	Vame		JEKO.			1/	_		/		-		Reg. Number	25,456
Signatur	е		1	N/	com	More	w	////)	Date	10/	10/00	Deposit Account	50-0320

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE APPLICATION FOR LETTERS PATENT

Docket No. 787446-2001.1

TITLE: A STABLE AQUEOUS DISPERSION OF NUTRIENTS

Inventors: SCOTT E. PETERS DARRYL H. WOODS

Hall Beer Hall

Ďį

M Good from the three three

WHILL

Jerome Rosenstock, Esq.
Registration No. 25,456
FROMMER LAWRENCE & HAUG LLP
745 Fifth Avenue
New York, New York 10151

Tel: (212) 588-0800 Fax: (212) 588-0500

A STABLE AQUEOUS DISPERSION OF NUTRIENTS

This application claims priority from U.S. provisional application Serial No. 60/161,995 filed October 28, 1999, which is incorporated herein by reference.

BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION

THE HER

in think the the thus they

THE STATE WAS ASSESSED.

This invention relates to a stable aqueous dispersion of nutrients, and more particularly, to a dispersion comprising an ingredient selected from (a) an isoflavone, (b) lycopene, (c) lutein, (d) a Coenzyme Q or (e) a mixture of the foregoing ingredients; and a stabilizer.

DESCRIPTION OF THE RELATED ART

Nutritional ingredients, such as an isoflavone, e.g. a soybean derived isoflavone, are currently available in tablets or other dry forms because heretofore they could not be satisfactorily dispersed in water. The nutritional ingredients, such as an isoflavone, lycopene, lutein, Coezyme Q's, are not ordinarily dispersable in aqueous systems because they are only slightly water or oil soluble.

These nutritional ingredients are desirable for use in beverages and cosmetics, in the form of aqueous dispersions or liposomes. For example, isoflavone is employed to treat humans to lower cholesterol, to treat solid tumors and angiogenic diseases. Additionally, it reduces bone calcium loss and is an antioxidant which can reduce free-radical damage to cells. Accordingly, a means for rendering these ingredients water dispersible is needed and desired.

SUMMARY OF THE INVENTION

This invention relates to a stable suspension comprising a nutrient or nutritional ingredient and a stabilizer therefor dispersed in an aqueous system, e.g. a solvent comprising water. In particular, the ingredient is a nutrient selected from the group of (a) an isoflavone (b) lycopene, (c) lutein, (d) a Coenzyme Q_n , where n is an integer of 1 to 12, (e) a mixture of any of the foregoing ingredients.

DETAILED DESCRIPTION OF THE INVENTION

This invention involves a stable aqueous suspension which comprises a nutrient and a nutrient stabilizer dispersed in an aqueous system or solvent, e.g. water.

A suitable nutrient or nutritional ingredient is one which is suitable for therapeutic treatment of an animal, e.g. a human being, by ingestion, e.g. via a beverage, or a topical application, e.g. via a lotion or cream, but which is unfortunately typically insoluble or only slightly soluble in water at room temperature, e.g. 20°C to 25°C. It is these ingredients which are the subject of this invention. Some suitable nutrients or nutritional ingredients include (1) a compound of the formula,

where R is OH, β-glucoside, 6"-O-acetylglucoside, or 6"-O-malonylglucoside; R' is H or OH; and R" is H or OCH₃; such as isoflavone, e.g. a soybean derived isoflavone, and a substituted isoflavone, such as daidzein, genistein and glycitein; (2) lycopene, (3) lutein, (4) a Coenzyme Q_n,

where n is an integer of 1-12, e.g. Coenzyme Q_{10} , and (5) a mixture of any of the foregoing ingredients.

For purposes of the dispersions of this invention, which are intended for therapeutic use or as additives in association with therapeutic treatment of animals, e.g. a human, the particular nutrient or mixture of nutritional ingredients is present in the inventive aqueous dispersions in an effective nutritional amount, that is an amount which causes its desired nutritional or therapeutic effect.

The term "amount" as used herein refers to quantity or concentration as appropriate to the context. The amount of nutrient that constitutes a nutritional amount varies according to factors such as potency of the particular ingredient or mixture of ingredients, the route of administration and the mechanical system used to administer the dispersion. A nutritionally effective amount of a particular nutrient can be selected by those or ordinary skill in the art with due consideration of such factors. Generally, a nutritionally effective amount will be from .005 parts by weight to about 10 parts by weight based on 100 parts by weight of the dispersion.

A suitable aqueous system or medium is selected. A suitable aqueous system or medium for the dispersions of this invention include water and an aqueous solution of an organic alcohol of 1 to 6 carbon atoms, e.g. ethanol, propylene glycole, glycerine, etc., and a mixture of the foregoing; present in an amount of up to ten percent (10%) by weight. The aqueous system is one which will permit a stable dispersion to be formed therein when combined with the selected nutrient or mixture of nutrients, which in turn is destined to be combined with a suitable nutrient stabilizer. The aqueous system is present in an amount which affords the desired dispersion and is dependent upon the selected nutrient or mixture of nutritional ingredients with

the selected nutrient stabilizer. Typically, the aqueous system comprises 75 to 95 weight percent of the dispersion.

A suitable stabilizer is selected. A suitable stabilizer includes (1) a lecithin, derived from soybean or egg which contain a complex mixture of phospholipids consisting mainly of phosphatidylcholine, phosphatidylethanolamine, phosphatidylinositol, and phosphatidic acid combined with varying amounts of other substances such as triglycerides; the lecithin can be of standard grade or can be modified or refined lecithin e.g. deoiled, hydrogenated, hydroxylated, enzyme modified, acetylated, etc.; (2) a hydrocolloid, e.g. xanthan gum, a pectin, gelatin, guar gum, carrageenan; (3) a surfactant, e.g. cetylpyridinlium chloride, polysorbate 80, sorbitan monostearate, polyglycerolesters, block copolymers of propylene oxide, ethylene oxide; (4) a Dowicil, a product of Dow Chemical Co., e.g. Dowicil 200 of the formula

(5) a mixture of any of the foregoing stabilizers.

Half the flow days that the could then

An aqueous dispersion of the selected nutrient comprises the nutrient stabilizer in an amount effective to stabilize the aqueous dispersion relative to an identical aqueous formulation or mixture not containing the nutrient stabilizer, such that the active ingredient does

not settle, cream or flocculate after agitation so quickly as to prevent reproducibility, e.g. reproducible dosing. Reproducible application, e.g. dosing, can be achieved if the resultant aqueous suspension is substantially uniform for about 1 to 2 hours after agitation thereof.

The particular amount of stabilizer that constitutes an effective amount is dependent upon the particular stabilizer, the particular aqueous system or medium employed and the particular nutritional ingredient or mixture of ingredients employed. It is therefore not practical to enumerate a specific effective amount for use with specific dispersions or formulations of the invention, but such amount can readily be determined by those skilled in the art with due consideration of the factors set forth above. Generally, however, the stabilizer can be present in a formulation in an amount from about 0.05 percent by weight to about 10 percent by weight, more preferably about .2 percent to about 5 percent by weight, based on the weight of the dispersion or formulation.

Typically, the nutrient stabilizer, e.g. Dowicil 200 preservative, is combined with the aqueous system, e.g. water, at a temperature of 20° to 70°C and is mixed for 2 to 10 minutes. Thereafter the active ingredient or nutritional agent, e.g. isoflavone, is added thereto to form a mixture. The resultant mixture is then subjected to a microfluidization treatment using any commercially available microfulidizer, e.g. Microfluidics M110, at a minimum shear pressure of 6500-7000 psi, preferably at a sheer pressure of 6500 to 8000 psi, and most preferably at a shear pressure of 7000 to 7500 psi, whereby a particle size to the active ingredient typically is less than 500nm, preferably less than 300 nm, most preferably less than 250 nm, to form the desired aqueous dispersion.

It is noted that the procedure described above can be modified, namely the stabilizer is added to the resultant aqueous dispersion, i.e. subsequent to the described microfluidization of the mixture of the nutrient combined with the aqueous system.

The resultant aqueous nutrient dispersion can then be further formulated and administered to a patient, e.g. a mammal such as a human being, by any conventional means, such as topically, orally; etc. Typically the dispersion is combined with other drugs, adjuvants, etc. in the form of a cream or lotion, e.g. a cosmetic, or in the form of a liquid, e. g. a beverage.

EXAMPLES

EXAMPLE 1:

and the

Ō1

Hall first the first

. 1.... 1....

SoyLife 100, a product manufactured by Schouten, Inc. 3300 Edinborough Way, Minneapolis, MN 55435, contains ten percent by weight of soy derived isoflavone. Ten weight percent of this material was mixed or dispersed with 0.2% by weight of Dowicil 200 and 89.8% by weight of water using a laboratory mixer. The resultant mixture was fluidized twice through a Microfluidizer (a product manufacture by MicroFluidics, Corp.) at 7,400-psi sheer pressure and 40 psi head pressure. The resultant slurry or dispersion was homogeneous and could easily be incorporated into a skin cream formulation.

EXAMPLE 2:

Prevastein HC, a product of Central Soya, 1946 West Cook Road, Fort Wayne, IN 46801, contains 40% by weight of isoflavone. Ten weight percent of this nutrient was combined with 0.1 percent by weight of potassium sorbate and 0.1% by weight of citric acid in 89.8% by weight of water. The resultant mixture was mixed with a laboratory mixer, then fluidized twice through the microfluidizer as in Example 1, at 7500-psi sheer. Rhodigel (xanthan

gum), 0.5% by weight, was added to the fluidized sample during high-speed mixing with a laboratory mixer. The resultant product was a thick viscous liquid that did not separate.

The resultant dispersion obtained in Example 2 was compared to samples prepared similarly to Example 2 but did not include a stabilizer and/or was not fluidized.

When diluting the dispersion prepared in Example 2 with water (0.25-0.5% dispersion), the nutrient remained dispersed for over a week, with very little precipitation forming. The other samples prepared were diluted at similar levels as the Example 2 sample, but these dispersions precipitated much more quickly (within 1-2 hours).

TH III

Am Am

Hart this this

Hall Hall Hall Hall Hall

1. A stable suspension comprising,

a nutrient selected from the group consisting of (a) an isoflavone, (b) lycopene, (c) lutein, (d) Coenzyme Q_n, were n is integer of 1 to 12; and (e) a mixture of any of the foregoing nutrients;

a nutrient stabilizer; and an aqueous solvent system.

- 2. The suspension as defined in claim 1 where in said stabilizer is selected for the group consisting of (a') a lecithin, (b') a hydrocolloid, (c') a surfactant, (d') a Dowicil and (e') a mixture of any of the foregoing stabilizers.
- 3. The suspension as defined in claim 2 wherein said lecithin is selected from the group consisting of a lecithin derived from soybean or egg.
- 4. The suspension as defined in claim 2 wherein said hydrocolloid is selected from the group consisting of xanthan gum, a pectin, gelatin, guar gum, carrageenan, methylcelluloses, hydroxypropyl celluloses, gum arabic and a mixture of the foregoing hydrocolloids.
- 5. The suspension as defined in claim 2 wherein said surfactant is selected from the group consisting of cetylpyridinium chloride, polysorbate 80, sorbitan monostearate, a polyglycerol ester, a block copolymer of propylene oxide, ethylene oxide and a mixture of any of the foregoing surfactants.
- 6. The suspension as defined in claim 3 wherein said stabilizer comprises said Dowicil.

- 7. A method of making a stabilized aqueous suspension of a nutrient which comprises:
- (a) combining the nutrient with an aqueous medium to form an aqueous mixture;
 - (b) combining a nutrient stabilizer with the nutrient; and
- (c) microfluidizing said aqueous mixture before or after step (b), above, to form the stabilized aqueous suspension.
- 8. The method as defined in claim 7 wherein the nutrient is selected form the group consisting of (a) an isoflavone, (b) lycopene, (c) lutein, (d) Coenzyme Q_n , were n is integer of 1 to 12; and (d a mixture of any of the foregoing nutrients.
- 9. The method as defined in claim 7 wherein said nutrient stabilizer is selected from the group consisting of (a') a lecithin, (b') a hydrocolloid, (c') a surfactant, (d') a Dowicil and (e') a mixture of any of the foregoing stabilizers.
- 10. The method as defined in claim 9 wherein said lecithin is selected from the group consisting of a lecithin derived from soybean or egg.
- 11. The method as defined in claim 9 wherein said hydrocolloid is selected from the group consisting of xanthan gum, a pectin, gelatin, guar gum, carrageenan, a methylcellulose, an hydroxypropyl cellulose, gum arabic and a mixture of the foregoing hydrocollids.
- 12. The method as defined in claim 9 wherein said surfactant is selected from the group consisting of cetylpyridinium chloride, polysorbate 80, sorbitan monostearate, a polyglycerol ester, a block copolymer of propylene oxide, ethylene oxide and a mixture of any of the foregoing surfactants.

13. The method as defined in claim 9 wherein said stabilizer comprises said

Dowicil.

ABSTRACT

This invention relates to a stable aqueous dispersion of nutrients and more particularly, to an aqueous dispersions of an active nutritional ingredient selected form (a) an isoflavone, (b) lycopene (c) lutein, (d) a Coenzyme Q_n where n is an integer of 1 to 12, or (e) a mixture of any of the foregoing nutrients.